



THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF BULLFROG INTERNATIONAL. ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF BULLFROG IS NOT ALLOWED.

D


C

B

A



[275.84]  
108.6  
FROM BOTTOM  
OF BASE



EURO RATINGS/WIRING CONFIGURATIONS AVAILABLE:  
**230 VAC 50 Hz (M8D & M9T): 20 A x 2, 40 A**

US RATINGS/WIRING CONFIGURATIONS AVAILABLE:  
240 VAC, 60 Hz, 50 A  
**240 VAC, 60 Hz, 60 A**

NOTE: SPA MODELS WITH 3 JET PUMPS (A9L, M8, M9L) REQUIRE A 60 AMP SERVICE FOR FULL FUNCTIONALITY. THESE MODELS MAY ALTERNATIVELY BE OPERATED WITH VARIOUS ELECTRICAL CONFIGURATIONS, HOWEVER, CERTAIN SET-UPS MAY RESULT IN OPERATION LIMITATIONS. RATINGS AMPERAGE IN BOLD TYPE ARE PREFERRED FULL FUNCTIONALITY SETUPS. CONTACT YOUR DEALER FOR DETAILS.

CAD GENERATED DRAWING, DO NOT MANUALLY UPDATE DO NOT SCALE DRAWING	NAME		DATE		
	MODELED BY Adam Lundgren				
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	APPROVED BY				
	<div><input type="checkbox"/></div> CONTROLLED PART				
TOLERANCES ARE: <div>FRACTIONS    DECIMALS    ANGLES ± 1/16        .x ± .1        ± 1°               .XX ± .02               .XXX ± .005               .XXXX ± .0020</div>	CES, ETL, UL, OR OTHER REGULATORY AGENCY		TITLE:  M9 FINAL ASSY. DRAWING W/ MEASURMENT IN INCHES		
	MATERIAL:				
SURFACE TREATMENT:  -	VENDOR:  -		SIZE	PART NUMBER:	REV
MATERIAL CONDITION:	MANUFACTURER:  -		B		
	VENDOR PART NUMBER:				
			SCALE: 1:50		SHEET 1 OF 1




THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF BULLFROG INTERNATIONAL, ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF BULLFROG IS NOT ALLOWED.

D

C

B


A






EURO RATINGS/WIRING CONFIGURATIONS AVAILABLE:  
**230 VAC 50 Hz (M8D & M9T): 20 A x 2, 40 A**

US RATINGS/WIRING CONFIGURATIONS AVAILABLE:  
240 VAC, 60 Hz, 50 A  
**240 VAC, 60 Hz, 60 A**

NOTE: SPA MODELS WITH 3 JET PUMPS (A9L, M8, M9L) REQUIRE A 60 AMP SERVICE FOR FULL FUNCTIONALITY. THESE MODELS MAY ALTERNATIVELY BE OPERATED WITH VARIOUS ELECTRICAL CONFIGURATIONS, HOWEVER, CERTAIN SET-UPS MAY RESULT IN OPERATION LIMITATIONS. RATINGS AMPERAGE IN BOLD TYPE ARE PREFERRED FULL FUNCTIONALITY SETUPS. CONTACT YOUR DEALER FOR DETAILS.

CAD GENERATED DRAWING, DO NOT MANUALLY UPDATE DO NOT SCALE DRAWING  UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES  TOLERANCES ARE: <div>FRACTIONS    DECIMALS    ANGLES ± 1/16        .x ± .1        ± 1°               .XX ± .02               .XXX ± .005               .XXXX ± .0020</div>	NAME		DATE			
	MODELED BY Adam Lundgren					
	APPROVED BY					
<div><div><input type="checkbox"/></div>CONTROLLED PART  CES, ETL, UL, OR OTHER REGULATORY AGENCY</div>					TITLE:  M8 FINAL ASSY. DRAWING W/ MEASURMENT IN INCHES	
MATERIAL:	VENDOR:			SIZE	PART NUMBER:	REV
SURFACE TREATMENT:  -	MANUFACTURER:  -			<b>B</b>		
MATERIAL CONDITION:	VENDOR PART NUMBER:			SCALE: 1:22		SHEET 1 OF 1

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF BULLFROG INTERNATIONAL, ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF BULLFROG IS NOT ALLOWED.




EURO RATINGS/WIRING CONFIGURATIONS AVAILABLE:

230 VAC, 50 Hz, 16A x 1  
230 VAC, 50 Hz, 16A x 2  
**230 VAC, 50 Hz, 32 A**  
**400 VAC, 50 Hz, 16 A x 3 (3 phase)**




US RATINGS/WIRING CONFIGURATIONS AVAILABLE:

240 VAC, 60Hz, 30 A  
**240 VAC, 60Hz, 50 A**

NOTE: RATINGS AMPERAGE IN BOLD TYPE ARE PREFERRED FULL FUNCTIONALITY SETUPS. OTHER SET-UPS MAY RESULT IN OPERATION LIMITATIONS. CONTACT YOUR DEALER FOR DETAILS.

CAD GENERATED DRAWING, DO NOT MANUALLY UPDATE DO NOT SCALE DRAWING  UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES  TOLERANCES ARE:  FRACTIONS    DECIMALS    ANGLES ± 1/16            .X ± .1            ± 1° .XX ± .02 .XXX ± .005 .XXXX ± .0020	NAME		DATE				
	MODELED BY Adam Lundgren						
	APPROVED BY						
<div><input type="checkbox"/> CONTROLLED PART  CES, ETL, UL, OR OTHER REGULATORY AGENCY</div>					TITLE:  M7 FINAL ASSY. DRAWING W/ MEASURMENT IN INCHES		
MATERIAL:	VENDOR:				SIZE	PART NUMBER:	REV
SURFACE TREATMENT:  -	MANUFACTURER:  -				<b>B</b>		
MATERIAL CONDITION:	VENDOR PART NUMBER:					SCALE: 1:22	
						SHEET 1 OF 1	

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF BULLFROG INTERNATIONAL, ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF BULLFROG IS NOT ALLOWED.



CAD GENERATED DRAWING, DO NOT MANUALLY UPDATE DO NOT SCALE DRAWING  UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES  TOLERANCES ARE: FRACTIONS DECIMALS ANGLES ± 1/16 .X ± .1 ± 1° .XX ± .02 .XXX ± .005 .XXXX ± .0020	NAME		DATE
	MODELED BY	AL	
	APPROVED BY		
	CONTROLLED PART CES, ETL, UL, OR OTHER REGULATORY AGENCY		
MATERIAL:	VENDOR:	-	SIZE
SURFACE TREATMENT:	MANUFACTURER:	-	<b>B</b>
MATERIAL CONDITION:	VENDOR PART NUMBER:		REV
SCALE: 1:22		SHEET 1 OF 1	

bullfrog

spas

TITLE:  
M6 FINAL ASSY. DRAWING  
W/ MEASURMENT IN INCHES